

UltrArmor Product Portfolio 2025





Your Trusted Partner for Digital Future

With over 40 years of expertise in thin client design, UltrArmor delivers fully integrated endpoint solutions for VDI, DaaS, and cloud environments. Our end-to-end approach ensures seamless hardware and software compatibility across various industries.

At UltrArmor, we simplify every step—from deployment to customization—streamlining operations while maintaining the flexibility to adapt to your unique needs. 40+ Years of operations 350+ Employees 200+ Happy Clients 7+ Channel Distributors



Secure, Sustainable, and Ready for the Digital Future

Elevate your digital workspace with UltrArmor's thin client solutions, meticulously crafted to address the complex demands of industries including healthcare, government, finance, manufacturing, and retail, ensuring seamless performance and tailored reliability for diverse environments.



Sustainability-Focused Thin Client Solutions

UA Series boasts a longer lifespan, low-power CPU, fanless design, and incorporates recycled materials for enhanced sustainability.



UA2 Thin Client

Redefining the office Workspace



"Say goodbye to clutter and hello to simplicity with the UA2—Designed for industries that demand precision and style, such as finance, healthcare, and retail."



IGÈĽ

Ready

Power in the Palm of Your Hand

YEARS

UA2's palm-sized design delivers robust office solutions, enabling Unified Communication for seamless calls, meetings, and messaging—all within your grasp



Big on Savings, Small on Energy

Powered by the Intel Alder Lake, UA2's fanless design consumes just 7 watts per hour—8x more efficient than traditional PCs



One Cable, Endless Possibilities

Multitask effortlessly, even in tight spaces. UA2 simplifies your workspace with a single USB Type-C cable, handling data storage, power delivery, audio, and video



Designed for industries that require clutter-free environments, such as finance, healthcare, and retail sectors. Enjoy a organized workspace without sacrificing top-tier performance

UA2 **Thin Client**

Redefining the office Workspace

Performance		Expandability	
СРИ	Intel® Alder Lake N100 processor supports up to 3.4GHz max turbo boost, Quad Core	WiFi (Optional)	 M.2 for WiFi module (E Key) 2 external antenna holes reserved Bluetooth 5.3
Memory	Memory 8GB DDR4-3200MHz single channel (up to 16GB optional)		 Onboard 16GB eMMC as default (up to 64GB optional)
	 2 DP 1.4 and 1 USB-C DP Alt mode Up to 1 x 4K60 + 2 x 1080P concurrent Up to 2 x 4K60 HDR 		mSATA slot for SSD installation
Multiple Display		LAN	RJ-45 10/100/1000Mbps
		USB	4 USB-A 2.0, 2 USB-A 3.2 Gen1, 1
Display Resolution			USB-C 3.2 Gen2 with DP Alt Mode, power delivery, data storage
	 Intel® 12th UHD Graphics 24EUs HEVC, VP9, and AVC decode support Support AVX2 instruction sets 	Audio &	Combo audio jack for headset &
Graphic & Multimedia		Sound	internal speaker
		Power	DC 12V/ 4A 48W power adapter

Security / Manageability

Processor Security	Intel® boot guard
Security Lock	Security lock 3*7mm
WoL	RJ45 LAN with standby power design supports Magic Packet wake- up event
ТРМ	Infineon TPM 2.0

Environment

Cooling	Passive cooling (Noise-Free)
Operating Temperature	0 °C to 35 °C, 32 °F to 95 °F in vertical position
Operating Humidity	20% - 80% non-condensing
ECO design	30% Post-consumer recycled plastic (PCR) for plastic chassis

Dimension (w x h x d) & Weight

Physical

- 37 x 186 x 157mm (without foot stand) / 0.9Kg
 57 x 191.5 x 157mm (with foot stand) / 0.9Kg
- 57 x 191.5 x 157mm (with foot stand) / 0.94Kg

Note: UltrArmor may update or modify information, products, or programs without prior notice.

UA3 Thin Client

Power Meets Versatility











"Experience a leap in performance with UA3—offering 30% more power while remaining budget-friendly. Perfectly tailored for diverse industries like government, finance, healthcare , retail and manufacturing."



Unleash 30% More Power for Less

With the AMD Ryzen[™] processor, UA3 delivers 30% greater CPU performance without compromising on value, offering unparalleled efficiency for demanding tasks.



UA3 supports 3 multi-displays, 7 USB ports, and unified communication tools, ensuring your workspace operates at peak efficiency



The UA3, powered by AMD's Hardware Validated Boot (HVB), designed to defend against threats, it's the ultimate security solution for today's flexible work environments



From government to finance and manufacturing, UA3 excels in diverse environments, delivering the power and reliability professionals need to succeed

UA3 **Thin Client**

Power Meets Versatility



Performance		Expandability	
CPU	AMD Ryzen™ Embedded R2312 processor 2.7GHz base clock up to 3.5GHz turbo frequency, Dual Core	WiFi (Optional)	 M.2 for WiFi module (E Key) 2 external antenna holes reserved Bluetooth 5.3
Memory	8GB(4GB x2) DDR4-2400MHz dual channel (up to 32GB optional)	Storage	 Onboard 16GB eMMC as default (up to 64GB optional) mSATA slot for SSD installation
Multiple Display	3 DP 1.4 and 1 USB-C DP Alt Mode (DP 3 alternative) • Up to 3 x 4K60	LAN	RJ-45 10/100/1000Mbps
		USB	4 USB-A 2.0, 2 USB-A 3.2 Gen2, 1 USB-C 3.2 Gen2 with DP Alt Mode
Display Resolution 4K 60Hz (Max)		Audio & Sound	Combo audio jack for headset & internal speaker
Graphic & Multimedia	 AMD Radeon[™] Graphics with up to 3 compute units, 1.2GHz Max HEVC, VP9 and AVC decode 	Smart Card Reader	Built-in Omnikey 3121 smart card reader (Optional)
	supportSupport AVX2 instruction sets	Power	DC 12V/ 5A 60W power adapter

Security / Manageability		
Processor Security	AMD Memory GuardAMD HVB	
Security Lock	Security lock 3*7mm	
WoL	RJ45 LAN with standby power design supports Magic Packet wake-up event	
ТРМ	Infineon TPM 2.0	

	Environment	
Cooling	Passive cooling (Noise-Free)	
Operating Temperature	0 °C to 35 °C, 32 °F to 95 °F in vertical position	
Operating Humidity	20% - 80% non-condensing	
ECO design	30% Post-consumer recycled plastic (PCR) for plastic chassis	

Physical

Dimension (w x h x d) & Weight

- 68 x 195 x 188mm (with foot stand) / 1.12Kg

Note: UltrArmor may update or modify information, • 45 x 188 x 188mm (without foot stand) / 1.07Kg products, or programs without prior notice.

UA7 Thin Client

Built for Heavy Workloads



IGÈĽ Ready





"Experience power, productivity, and protection—all in one. UA7 offers unbeatable security for highpressure industries like government and healthcare."



Boosted Performance for Heavy Loads

With the AMD Ryzen[™] processor, the UA7 offers 80% more CPU performance than the UA3, ensuring unmatched efficiency for demanding tasks



Designed for Multi-Display Precision

The UA7 supports up to 4 UHD/4K displays, delivering superior multimedia performance for users needing multi-screen setups



Versatile Connectivity, Maximum Productivity

Supporting up to 9 USB ports, including USB-C, the UA7 is perfect for the Hybrid Cloud Workforce, enhancing peripheral integration and efficiency



Top-Tier Security for High-Demand Workforces

The UA7 uses advanced fiber-optic encryption to secure data at high speeds, delivering unmatched protection for critical industries like government and healthcare

UA7 Thin Client

Built for Heavy Workloads



	Performance		Expandability	
CPU	AMD Ryzen™ Embedded R2514 processor 2.1GHz base clock up to 3.7GHz turbo frequency, Quad Core	WiFi (Optional)	 M.2 for WiFi module (E Key) 2 external antenna holes reserved Bluetooth 5.3 	
Memory	8GB(4GB x2) DDR4-2667MHz dual channel (up to 32GB optional)	Storage	 Onboard 16GB eMMC as default (up to 64GB optional) M.2 2242 \cdot 2280 for SSD installation 	
Multiple Display	4 DP 1.4 and 1 USB-C DP Alt Mode (DP 4 alternative) • Up to 4 x 4K60	LAN	RJ-45 10/100/1000Mbps 1 x SFP slot for 1 Gbps SFP module (Fiber project option)	
Display Resolution	4K 60Hz (Max)	USB	6 USB 2.0-A, 2 USB-A 3.2 Gen2, 1 USB-C 3.2 Gen2 with DP Alt Mode	
Resolution		Audio & Sound	Combo audio jack for headset & internal speaker	
Graphic & Multimedia	 AMD Radeon™ Graphics with up to 8 compute units, 1.2GHz Max HEVC, VP9, and AVC decode support Support AVX2 instruction sets 	Smart Card Reader	Built-in Omnikey 3121 smart card reader (Optional)	
		Power	DC 12V/ 5A 60W power adapter	

Security / Manageability		
Processor Security	AMD Memory GuardAMD HVB	
Security Lock	Security lock 3*7mm	
WoL	RJ45 LAN with standby power design supports Magic Packet wake- up event	
ТРМ	Infineon TPM 2.0	

Environment		
Cooling	Passive cooling (Noise-Free)	
Operating Temperature	0 °C to 35 °C, 32 °F to 95 °F in vertical position	
Operating Humidity	20% - 80% non-condensing	
ECO design	30% Post-consumer recycled plastic (PCR) for plastic chassis	

Dimension (w x h x d) & Weight

Physica

- 53 x 230 x 210mm (without foot stand) / 1.5Kg
- 80 x 236 x 210mm (with foot stand) / 1.56Kg

Note: UltrArmor may update or modify information, products, or programs without prior notice.

UA9 Thin Client

Workforce Mobility Simplified







The fanless UA9 eliminates moving components, ensuring unmatched durability and dependability for your mobile workforce



Built-in WiFi, wired connectivity, and support for two UHD/4K displays create a seamless, immersive workspace for mobile teams



Equipped with the Intel® Alder Lake CPU, UA9 slashes electricity costs, reduces e-waste, and extends its operational lifespan—all while delivering exceptional performance



UA9's 15.6-inch LCD screen and Numpad keyboard are designed for productivity, making it ideal for intensive mobile work environments

UA9 Thin Client

Workforce Mobility Simplified



	Performance		Expandability
CPU	Intel® Alder Lake N100 processor supports up to 3.4GHz max boost frequency, Quad Core	WiFi	 Onboard combo WiFi6, 2 internal antenna (RTL8852BE) Bluetooth 5.2
Memory	8GB DDR4-3200MHz single channel	Storage	 M.2 2280 M Key 128GB SATA SSD Micro SD Card Reader
Multiple Display	15.6" full HD LCD, 1 HDMI , USB-C	LAN	RJ-45 10/100/1000Mbps
Display Resolution	Full HD on LCD, 4K 60Hz on connected display (Max)	USB	3 USB-A 3.2 Gen1, 1 USB-C 3.2 Gen1 with DP Alt mode, power delivery
Brightness (typical) Viewing	250 cd/m² typ. CR(>10):85/85 (V/H) typ.	Audio & Sound	Combo audio jack for headset & Internal speakers
Angle	 Intel® 12th UHD Graphics 24EUs Full HD 2MP webcam with microphone HEVC, VP9, and AVC decode support Support AVX2 instruction sets 	Power	USB Type-C 65W power adapter
Graphic & Multimedia		Battery	Polymer 3S1P 11.4V/3950mAh/45W Li-Polymer Battery, 3 cells
Martinoulu		Keyboard Language	German, Spanish, French, English, Dutch
Se	ecurity / Manageability		Environment

Security Lock	Security lock 3*7mm	Cooling	Passive cooling (Noise-Free)
RJ45 LAN with standby powerWoLdesign supports Magic Packet wake-	Operating Temperature	0 °C to 35 °C, 32 °F to 95 °F	
7014		Operating Humidity	20% - 80% non-condensing
TPM	Infineon TPM 2.0	mannancy	

Physical

Dimension (w x h x d) & Weight: 244 x 21.6 x 368mm / 1.8kg Note: UltrArmor may update or modify information, products, or programs without prior notice.

UA10 Thin Client

Seamless Connectivity, Precision Productivity







Smart Performance, **Smarter Savings**

The UA10, powered by Intel® Celeron[®] Processor, combines energy efficiency with reliable performance, helping businesses maximize output while minimizing electricity expenses.



Dual multi-display support, a 5M webcam, and dual microphones ensure efficient functionality and clear communication for healthcare, finance, and public sectors



Featuring a 23.8" FHD LCD in a bezelfree, ultra-thin design, the UA10 minimizes distractions, letting you dive into work with clarity and focus



Adaptable Angles for **Total Comfort**

Work your way with UA10's adjustable orientations, supporting up to 90-degree portrait and landscape modes to maximize comfort in any task

UA10 Thin Client

Seamless Connectivity, Precision Productivity



	Penomunce	
[
CPU	Intel® Jasper Lake N5100 processor supports up to 2.8GHz Burst frequency, Quad Core	
Memory	8GB DDR4-2933MHz single channel	
Multiple Display	23.8" full HD LCD, 1 DP 1.4, 1 DVI-D	
Display Resolution	Full HD on LCD, 4K 60Hz on connected display (Max)	
Brightness (typical)	250 cd/m² typ.	
Viewing Angle	CR(>10):178/178 (V/H) typ.	
Graphic & Multimedia	 Intel® 11th UHD Graphics 24EUs Full HD 5MP webcam with microphones HEVC, VP9, and AVC decode support 	

Performance

	Expandability				
WiFi (Optional)	 M.2 for WiFi module (E Key) 2 external antenna holes reserved Bluetooth 5.3 				
Storage	 Onboard 8GB eMMC as default mSATA slot for SSD installation 				
LAN	RJ-45 10/100/1000Mbps				
USB	2 USB-A 2.0, 2 USB-A 3.2 Gen1				
Audio & Sound	Combo audio jack for headset & internal speakers				
Power	DC 19V/ 3.42A 65W power adapter				
Mechanical Function	Tilt: -5°~23° Pivot: 90° Height Adjust: 110 mm Swivel: -65/65°				

Security / Manageability		Environment		
Security Lock	Security lock 3*7mm	Cooling	Passive cooling (Noise-Free)	
WoL	RJ45 LAN with standby power design supports Magic Packet wake-up	Operating Temperature	0 °C to 35 °C, 32 °F to 95 °F	
	event fTPM 2.0	Operating Humidity	20% - 80% non-condensing	

Physical

Dimension (w x h x d) & Weight:

540 x 433 x 48mm (without foot stand) / 3.2Kg 540 x 520 x 249mm (with foot stand) / 5.6Kg Note: UltrArmor retains the authority to modify, correct, cancel, and/or enhance information, as well as products and programs described in such information, at any time without prior notice.

UA Series Product Overview

Secure, Sustainable, and Ready for the Digital Future

	UA2	UA3	UA7	UA9	UA10
Photo					
CPU	Intel® Alder Lake N100 supports up to 3.4GHz, QC	AMD Ryzen™ R2312 supports up to 3.5GHz, DC	AMD Ryzen™ R2514 supports up to 3.7GHz, QC	Intel® Alder Lake N100 supports up to 3.4GHz, QC	Intel® Jasper Lake N5100 supports up to 2.8GHz, QC
Memory	8GB DDR4- 3200MHz single channel (up to 16GB optional)	8GB DDR4- 2400MHz dual channel (up to 32GB optional)	8GB DDR4- 2667MHz dual channel (up to 32GB optional)	8GB DDR4- 3200MHz single channel	4GB DDR4- 2933MHz single channel
Storage	Onboard 16GB eMMC as default (up to 64GB optional)	Onboard 16GB eMMC as default (up to 64GB optional)	Onboard 16GB eMMC as default (up to 64GB optional)	M.2 2280 M Key 128GB SATA SSD	Onboard 8GB eMMC as default
USB	4 USB-A 2.0, 2 USB-A 3.2 Gen1, 1 USB-C 3.2 Gen2 with DP Alt Mode, power delivery	4 USB-A 2.0, 2 USB-A 3.2 Gen2, 1 USB-C 3.2 Gen2 with DP Alt Mode	6 USB 2.0-A, 2 USB-A 3.2 Gen2, 1 USB-C 3.2 Gen2 with DP Alt Mode	3 USB-A 3.2 Gen1, 1 USB-C 3.2 Gen1 with DP Alt mode, power delivery	2 USB-A 2.0, 2 USB-A 3.2 Gen1
Multiple Display	2 DP 1.4 and 1 USB-C DP Alt Mode	3 DP 1.4 and 1 USB-C DP Alt Mode (DP 3 alternative)	4 DP 1.4 and 1 USB-C DP Alt Mode (DP 4 alternative)	15.6" full HD LCD, 1 HDMI 1.4, 1 USB-C Alt mode	23.8" full HD LCD, 1 DP 1.4, 1 DVI-D
WiFi (Optional)	 M.2 for WiFi module (E Key) 2 external antenna holes reserved Bluetooth 5.3 	 M.2 for WiFi module (E Key) 2 external antenna holes reserved Bluetooth 5.3 	 M.2 for WiFi module (E Key) 2 external antenna holes reserved Bluetooth 5.3 	 Onboard combo WiFi6, 2 internal antenna (RTL8852BE) Bluetooth 5.2 	 M.2 for WiFi module (E Key) 2 external antenna holes reserved Bluetooth 5.3
Smart Card Reader	Not Available	Build in Omnikey smart card reader (Optional)	Build in Omnikey smart card reader (Optional)	Not Available	Not Available
Power	DC 12V/ 4A 48W power adapter	DC 12V/ 5A 60W power adapter	DC 12V/ 5A 60W power adapter	USB Type-C 65W power adapter	DC 19V/ 3.42A 65W power adapter
Dimension (w x h x d) & Weight	With foot stand - 57 x 191.5 x 157mm / 0.94Kg	With foot stand - 68 x 195 x 188mm / 1.12Kg	With foot stand - 80 x 236 x 210mm / 1.56Kg	244 x 21.6 x 368mm / 1.8kg	With foot stand - 540 x 520 x 249mm / 5.6Kg

UltrArmor Solutions:

Revolutionizing Healthcare, Government, Finance, Manufacturing, and Retail with Unmatched Innovation





MORE **ABOUT US**

Thank you for choosing UltrArmor as your trusted partner. Your success is our priority. Feel free to reach out through the contact details listed below.

LinkedIn



https://www.linkedin.com/compan y/ultrarmor/

Website



www.ultrarmor.com

Email



service@ultrarmor.com

Warehouse



DC4 unit E, Achtseweg Noord 2, 5651GG, Eindhoven, The Netherlands